

Block-O

Ficha Técnica

Concreto Celular Autoclaveado

Información

Espesor	Orificio		Peso por Pieza ¹		Pallet (Tarima)		
	Diám(Ø)	Vol	AAC-4	AAC-6	Pzas.	M ²	M ³
cm	cm	m ³ /ml	Kg/pza	Kg/pza			
12.5	7	0.0038	9.15	10.98	144	17.568	2.196
15.0	9	0.0064	10.98	13.18	120	14.640	2.196
17.5	9	0.0064	12.81	15.37	96	11.712	2.050
20.0	11	0.0095	14.64	17.57	84	10.248	2.050
25.0	11	0.0095	18.30	21.96	72	8.784	2.196
30.0	11	0.0095	21.96	26.35	60	7.320	2.196

¹Basado en Peso de Diseño [No se deduce orificio]



Longitud: 61.0 cm
Peralte: 20.0 cm

Clase AAC-4:
Resistencia a la compresión = 40.8 kg/cm²
Peso de Diseño = 600 kg/m³

Clase AAC-6:
Resistencia a la compresión = 61.2 kg/cm²
Peso de Diseño = 720 kg/m³

