



Información

Espesor cm	Peso de Diseño		Peso por Pieza ¹		Pallet (Tarima)		
	AAC-4 Kg/m ²	AAC-6 Kg/m ²	AAC-4 Kg/pza	AAC-6 Kg/pza	Pzas.	m ²	m ³
10.0	60	72	7.32	8.78	180	21.960	2.196
12.5	75	90	9.15	10.98	144	17.568	2.196
15.0	90	108	10.98	13.18	120	14.640	2.196
17.5	105	126	12.81	15.37	96	11.712	2.050
20.0	120	144	14.64	17.57	84	10.248	2.050
25.0	150	180	18.30	21.96	72	8.784	2.196
30.0	180	216	21.96	26.35	60	7.320	2.196

¹Basado en Peso de Diseño



Clase AAC-4	
Resistencia a la Compresión	40.8 kg/cm ²
Peso de Diseño	600 kg/m ³
Clase AAC-6	
Resistencia a la Compresión	61.2 kg/cm ²
Peso de Diseño	720 kg/m ³

Detalle Instalación

Más información en:

Litecrete S.A. de C.V.
Tels. 81 8399 2400, 24 y 64 / 800 00 HEBEL (43235)
ventas_mexico@hebel.mx
www.hebel.mx